FIRECHIEF® FIRE BEATER



making the world a safer place

An effective tool for wildfire management



Designed to effectively smother fires in general open areas such as grass fires.

Features

- Industrial grade rubber beater head knocks out flames and halts the spread of fire.
- Long, corrosion/rot proof handle allows beating operation to be carried out at a distance.

Specifications

Model	FBT2
Product Code	105-1010
Dimensions	Handle length: 1200mm Beater dimensions: 310 x 450mm







Available From:

Fire and Safety Centre 15 Atkinsons Way, Foxhills Industrial Estate Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 Web: www.fireandsafetycentre.co.uk



FIRECHIEF® CTX **ABC POWDER EXTINGUISHERS**



making the world a safer place

MODEL:

- Kitemark certified to BS EN 3
- 5 year guarantee
- 35kV dielectric test
- Squeeze grip operation
- Internal polyethylene lining
- Multi-purpose application
- Corrosion resistant finish















100-1604







Available From:

Fire and Safety Centre 15 Atkinsons Way, Foxhills Industrial Estate Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 Web: www.fireandsafetycentre.co.uk

FIRECHIEF® CTX ABC POWDER EXTINGUISHERS



The Firechief® CTX range of Dry Powder Extinguishers are a highly versatile Class A, B and C fire-fighting medium for most fire risks. In addition to dealing with electrical hazards, flammable liquids and gasses, general wood/paper fires, this extinguisher is also effective on vehicle fires.













Specifications

Model	CXP6	CXP9
Product Code	100-1604	100-1605
Description	Firechief® CTX 6kg Powder Extinguisher	Firechief® CTX 9kg Powder Extinguisher
Capacity (kg)	6	9
Fire Rating	34A 183B C	55A 233B C
Discharge Time (secs)	≥15s	≥15s
Working Pressure (bar)	14	14
Temperature Range (°C)	-30 to +60	-30 to +60
Product Height (mm)	525	570
Product Diameter (mm)	150	184
Filled Weight (kg)*	8.9	13.3
Carton Height (mm)	550	590
Carton Length (mm)	160	195
Carton Width (mm)	155	190
Packaged Weight (kg)**	9.55	14.1
Product EAN	5055377962807	5055377962814

^{*} Extinguisher, contents and plastic base only (where applicable) - not including hose, bracket or packaging.



Available From:

Fire and Safety Centre 15 Atkinsons Way, Foxhills Industrial Estate Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 Web: www.fireandsafetycentre.co.uk

^{**} Includes all packaging, hose / horn and bracket.



FIRECHIEF® CTX WATER EXTINGUISHER

FIRECHIEF®

making the world a safer place

MODEL:

CXW6 CTX

- Kitemark certified to BS EN 3
- 5 year guarantee
- 35kV dielectric test
- Squeeze grip operation
- Internal polyethylene lining
- Water spray nozzle
- Corrosion resistant finish

















Available From:

Fire and Safety Centre 15 Atkinsons Way, Foxhills Industrial Estate Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 Web: www.fireandsafetycentre.co.uk

FIRECHIEF® CTX WATER EXTINGUISHER



The Firechief® CTX Water Extinguisher is recognised and trusted by resellers and end users alike.

Tested and approved in the UK for use on class A fires. This extinguisher carries Kitemark certification to BS EN 3.

MODEL:











Specifications

Model	CXW6	CXW9
Product Code	100-1619	100-1620
Description	Firechief® CTX 6L Water Extinguisher	Firechief® CTX 9L Water Extinguisher
Capacity (I)	6	9
Fire Rating	13A	21A
Discharge Time (secs)	≥9s	≥9s
Working Pressure (bar)	12	12
Temperature Range (°C)	+5 to +60	+5 to +60
Product Height (mm)	535	600
Product Diameter (mm)	162	184
Filled Weight (kg)*	9.3	13.7
Carton Height (mm)	570	620
Carton Length (mm)	175	195
Carton Width (mm)	170	190
Packaged Weight (kg)**	10	14.5
Product EAN	5055377962845	5055377962852

^{*} Extinguisher, contents and plastic base only (where applicable) - not including hose, bracket or packaging.



Available From:

Fire and Safety Centre 15 Atkinsons Way, Foxhills Industrial Estate Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 Web: www.fireandsafetycentre.co.uk

^{**} Includes all packaging, hose / horn and bracket.