

CORE RANGE

FIRECHIEF®
making the world a safer place

FIRECHIEF® CTX EXTINGUISHER 1KG & 2KG ABC POWDER

MODEL:

CXP1 **CTX**
CXP2



CXP1
100-1679



CXP2
100-1677

- Designed to fight most small household fires
- Kitemark certified to EN3
- Corrosion resistant finish
- Easy to use
- Squeeze grip operation
- Wire mounting bracket supplied
- 5 year guarantee



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 Web: www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk

FIRECHIEF® CTX EXTINGUISHER 1KG & 2KG ABC POWDER

FIRECHIEF®
making the world a safer place

The Firechief® CTX range of dry powder extinguishers are a highly versatile Class A, B and C fire-fighting medium for most fire risks. In addition to dealing with electrical hazards, flammable liquids and gases, general wood/paper fires, this extinguisher is also effective on vehicle fires.

MODEL:

CXP1 **CTX**
CXP2



Specifications

| Model | CXP1 | CXP2 |
|------------------------|--|--|
| Product Code | 100-1679 | 100-1677 |
| Description | Firechief® CTX 1kg ABC Powder Extinguisher | Firechief® CTX 2kg ABC Powder Extinguisher |
| Capacity (kg) | 1 | 2 |
| Fire Rating | 8A 34B C | 13A 70B C |
| Discharge Time (secs) | 6 | 9 |
| Working Pressure (bar) | 14 | 14 |
| Temperature Range (°C) | (-30°C-+60°C) | (-30°C-+60°C) |
| Product Height (mm) | 320 | 395 |
| Product Diameter (mm) | 85 | 110 |
| Filled Weight (kg) | 2.2 | 3.4 |
| Carton Height (mm) | 340 | 420 |
| Carton Length (mm) | 105 | 140 |
| Carton Width (mm) | 95 | 120 |
| Packaged Weight (kg) | 2.26 | 3.52 |
| Outer Carton Qty | 10 | 6 |
| Pallet Quantity | 270 | 180 |
| Product EAN | 5055377964139 | 5055377964009 |



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre
15 Atkinsons Way, Foxhills Industrial Estate
Scunthorpe, North Lincolnshire, DN15 8QJ
Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk
Email: sales@fireandsafetycentre.co.uk

FIRECHIEF SOFT CASE FIRE BLANKETS

FIRECHIEF®
making the world a safer place

MODEL:

SVB1/K40

SVB2/K40

SVB3/K40

SVB4/K40



Features

- Kitemark certified to BS EN 1869:2019
- K40 Woven Glass Fibre Cloth
- 5 year guarantee
- Red screen-printed soft PVC case
- Available in 4 sizes



KM 35021
DEC 1999



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre
15 Atkinsons Way, Foxhills Industrial Estate
Scunthorpe, North Lincolnshire, DN15 8QJ
Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk
Email: sales@fireandsafetycentre.co.uk

FIRECHIEF SOFT CASE FIRE BLANKETS



The Firechief soft case fire blankets are a very straight forward and simple fire blanket design.

The blanket is securely held in place by the hook & loop flap at the base of the pack. Pulling the tabs will release the blanket making it very reliable and easy to operate.

MODEL:
SVB1/K40
SVB2/K40
SVB3/K40
SVB4/K40



| Model | SVB1/K40 | SVB2/K40 | SVB3/K40 | SVB4/K40 |
|----------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Product Code | 101-1502 | 101-1503 | 101-1509 | 101-1511 |
| Certification | BS EN 1869:2019 | BS EN 1869:2019 | BS EN 1869:2019 | BS EN 1869:2019 |
| Height (mm) | 300 | 300 | 300 | 370 |
| Width (mm) | 180 | 180 | 230 | 290 |
| Depth (mm) | 30 | 40 | 50 | 40 |
| Weight (gm) | 510 | 790 | 1159 | 1730 |
| Container Material | Soft PVC | Soft PVC | Soft PVC | Soft PVC |
| Container Colour | Red | Red | Red | Red |
| Cloth | K40 Woven Glass Fibre Cloth | K40 Woven Glass Fibre Cloth | K40 Woven Glass Fibre Cloth | K40 Woven Glass Fibre Cloth |
| Cloth Dimensions (m) | 1.0 x 1.0 | 1.2 x 1.2 | 1.2 x 1.8 | 1.8 x 1.8 |
| Guarantee (years) | 5 | 5 | 5 | 5 |
| Box Quantity | 25 | 20 | 16 | 12 |



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre
15 Atkinsons Way, Foxhills Industrial Estate
Scunthorpe, North Lincolnshire, DN15 8QJ
Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk
Email: sales@fireandsafetycentre.co.uk

FIRECHIEF 9V BATTERY SMOKE DETECTOR

FIRECHIEF®
making the world a safer place

MODEL:
FBSD1

Features

- Test button verifies battery and alarm operation
- Low battery indicator
- 3 Year warranty
- Fully certified to EN14604
- Supplied complete with battery
- Dimensions Ø100mm x 36.7mm
- Photo-electric detection method
- Sound output 85 dB @ 3 metres



FBSD1
117-1098



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre
15 Atkinsons Way, Foxhills Industrial Estate
Scunthorpe, North Lincolnshire, DN15 8QJ
Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk
Email: sales@fireandsafetycentre.co.uk

FIRECHIEF 9V BATTERY SMOKE DETECTOR

FIRECHIEF®
making the world a safer place

This smoke detector, can send out sound and light alarm signal in the early stage of a fire if properly installed and maintained, in that case it will have extra time to control the fire or to evacuate at once. The product is designed for household or similar residential application use.


**MODEL:
FBSD1**



FBSD1
117-1098

Specifications

| | |
|------------------|--------------------------|
| Model | FBSD1 |
| Product Code | 117-1098 |
| Standard | EN 14604:2005/AC:2008 |
| Voltage | DC 9V |
| Standby current | <10uA |
| Alarm current | <30mA |
| Sensor type | Photoelectric |
| Temperature | 0°C - +40°C |
| Ambient humidity | <95%R.H |
| Alarm indication | Red LED & Buzzer |
| Sound pressure | >85dB (around 3m) |
| N.W. | 89g (not inclu. battery) |
| Dimensions | Φ100* 36.7mm |
| Installation Way | Ceiling mounting |



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre
15 Atkinsons Way, Foxhills Industrial Estate
Scunthorpe, North Lincolnshire, DN15 8QJ
Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk
Email: sales@fireandsafetycentre.co.uk

FIRECHIEF® STANDALONE CARBON MONOXIDE ALARM - 5 YEAR BATTERY

FIRECHIEF®
making the world a safer place

PROTECT YOUR FAMILY WITH
FIRECHIEF® HOME ALARMS.

**MODEL:
FCB05**



FCB05
117-2003



- Equipped with electrochemical carbon monoxide sensing technology
- 10 year product lifespan
- 5 year product warranty
- 5 year battery life (2 x AA batteries supplied)
- SGS Certified to EN50291-1:2018
- Failsafe battery feature – cannot fit the back panel of the alarm without the batteries inserted
- Portable – designed to stand on a flat surface – doesn't need to be fixed in 1 location
- FSC certified packaging



EN50291-1:2018



REPLACEABLE
BATTERIES



AUDIBLE &
VISUAL ALERTS



5-YEAR
WARRANTY



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk

FIRECHIEF® STANDALONE CARBON MONOXIDE ALARM - 5 YEAR BATTERY

FIRECHIEF®
making the world a safer place

TRUST FIRECHIEF® HOME ALARMS TO KEEP YOUR FAMILY SAFE.

MODEL: FCB05


Ensure the safety of your home with the standalone Firechief® Home Carbon Monoxide Alarm, a reliable solution for detecting dangerous levels of carbon monoxide. This advanced alarm features high-precision sensors for accurate detection, providing early warnings to prevent potential hazards. Its user-friendly design allows for easy installation without the need for complex wiring, making it a convenient and effective safety addition to any home.

Equipped with a loud audible alarm and LED indicators, the standalone Firechief® Home Carbon Monoxide Alarm ensures immediate notification in the event of danger. The compact, sleek design fits effortlessly into any home decor, offering both functionality and aesthetic appeal. Trust Firechief® Home Carbon Monoxide Alarm's to deliver peace of mind and robust protection for you and your family with this essential safety device.

What do I need, and where?

Based on current best practice, and ongoing legislative reforms, the Firechief® Home Safety Team recommends that you should:

Install Firechief® Home Carbon Monoxide Alarms on each floor of your house and in every room that contains a fuel burning appliance such as boilers, cookers, heaters, gas fires and solid fuel burners.



SPECIFICATION

| | |
|--------------------------------|--|
| Model | FCB05 |
| Product Code | 117-2003 |
| Description | Firechief® Carbon Monoxide Alarm 5 Year Battery |
| Power | 2 x AA Type Batteries (3V DC) |
| Alarm Volume | >85dB at 3 metres |
| Hush/Silence Time | 10 minutes (unless CO levels exceed 150 ppm) |
| Battery life | 5 Years |
| Apparatus style | Type B |
| Sensor | Electrochemical |
| Product lifespan | 10 years after initial activation |
| Operational Ambient Condition: | 0~40°C, 25~90%R.H |
| Dimensions (mm) | 93(w) x 93(h) x 30(d) |

Note: This apparatus is designed to protect individuals from the acute effects of carbon monoxide exposure. It will not fully safeguard individuals with specific medical conditions. If in doubt consult a medical practitioner.

Operating temperature and humidity:
0-40°C, 25-90% (without condensation)

Storage/transportation temperature and humidity: 0-40°C, 25-90% (without condensation)

Product lifetime: 10 years after initial activation



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre
15 Atkinsons Way, Foxhills Industrial Estate
Scunthorpe, North Lincolnshire, DN15 8QJ
Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk
Email: sales@fireandsafetycentre.co.uk